| <u></u> | Type | L # | Hits | Search Text | DBs | Time Stamp | Comment |
|---------|------|-----|------|--|--|----------------------|---------|
| | | Y-1 | | | US- PGPUB ; USPA | 2005/09/2 | |
| | | | 4 | and the second s | ; EPO; DPO; DERWE NT, IBM_T DB | 1 13:43 | |
| 2 | 16&R | L2 | 2. | | USPAT | 2005/09/2 1 14:47 | |
| 3 | IS&R | L3 | 3207 | (310/309,311,321,330- 332,348,363).CCLS. | USPAT | 2005/09/2 1 14:58 | |
| 4 | BRS | L4 | 1511 | (oscillator or vibrator or resonator) same (electrostrictive or piezoelectric) same mount\$3 | USPAT | 2005/09/2 1 15:37 | |
| 5 | BRS | L6 | 961 | MINTEROR OF REGONATOR | DERWE NT; IBM_T DB | 2005/09/2 1 16:16 | |
| 6 | BRS | L8 | 7 | (oscillator or vibrator or resonator) same (electrostrictive or piezoelectric) same mount\$3 same pedestal | JPO | 2005/09/2 1 16:15 | |
| 7 | BRS | L9 | 74 | (oscillator or vibrator or resonator) same (electrostrictive or piezoelectric) same mount\$3 | EPO | 2005/09/2 1 16:19 | |

BEST AVAILABLE COPY

9/21/05, EAST Version: 2.0.1.4

| | Туре | L # | Hits | Search Text | DBs | Time Stamp | Comment |
|---|------|-----|------|--|----------------------------|----------------------|---------|
| 8 | BRS | L10 | | (oscillator or vibrator or resonator) same (electrostrictive or piezoelectric) same mount\$3 same pedestal | US- PGPUB ; USOCR | 2005/09/2 1 16:19 | |